

## PATTERNS OF COMMUNICATION AMONG MARKETING, ENGINEERING AND MANUFACTURING—A COMPARISON BETWEEN TWO NEW PRODUCT TEAMS\*

ABBIE GRIFFIN AND JOHN R. HAUSER

*Graduate School of Business, University of Chicago, Chicago, Illinois 60637*  
*Sloan School of Management, Massachusetts Institute of Technology,*  
*Cambridge, Massachusetts 02139*

Models and scientific evidence suggest that firms are more successful at new-product development if there is greater communication among marketing, engineering, and manufacturing. This paper examines communication patterns for two matched product-development teams where the key difference between the groups is that one used a phase-review development process and the other used Quality Function Deployment (QFD), a product-development process adopted recently at over 100 United States and Japanese firms. To our knowledge, this is the first head-to-head comparison of traditional U.S. product development processes with QFD.

Our data suggest that QFD enhances communication levels within the core team (marketing, engineering, manufacturing). QFD changes communication patterns from "up-over-down" flows through management to more horizontal routes where core team members communicate directly with one another. On the other hand, the QFD team communicates less on planning information and less with members of the firm external to the team. If this paucity of external communication means that the team has the information it needs for product development, and the QFD process has provided an effective means for moving the information through the team, it is a positive impact of QFD. If the result means that QFD induces team insularity, even when the team needs to reach out to external information sources, it is a cause for concern.

(COMMUNICATION; PRODUCT DEVELOPMENT; MARKETING)

Recent scientific evidence suggests that new-product development teams are more successful if their members communicate with one another. In particular, the likelihood of product success is enhanced if marketing, R&D, engineering, and manufacturing share information on customer needs and segments, technology and manufacturing capabilities, competitor strategies, business strategy, and pricing (Dougherty 1987). But communication is surprisingly difficult to obtain. Almost 60% of the new-product teams in one survey reported communication disharmony (Souder 1988).

This paper examines communication patterns for two new-product teams working on parallel component projects in the automobile industry. The comparison is interesting because while one team used Quality Function Deployment (QFD), a Japanese product development technique which purports to enhance interfunctional communication, the other team used a traditional phase-review process practiced by many American firms.<sup>1</sup> Both teams reported to the same manager, faced similar technical and marketing challenges, and were at similar task stages. Without revealing the sponsor or the specific projects, it was as if one team was working on a headlight subsystem and the other was working on a taillight system, both for the same new-car platform.

Following established communication measuring procedures (e.g., Allen 1984) each team member, contemporaneously during a 15-week period, reported how often during

\* Accepted by Alok K. Chakrabarti; received July 1990. This paper has been with the authors 5 months for 1 revision.

<sup>1</sup> In this "traditional" U.S. approach to new product development (e.g., Urban and Hauser 1980, Chapter 18), projects proceed sequentially through the development tasks which must be accomplished prior to commercialization. Different functions are responsible for completing each phase, so projects are handed off from one functional specialty to another over the development cycle. Each phase is reviewed by management before the process proceeds to the next phase.

the day, with whom, and about what (from a pre-determined list) they communicated. By matching names to functions we measure intrafunctional, interfunctional, and subordinate-to-manager communication within and between the manufacturer and its supplier. Our evidence suggests that QFD leads to less, but more efficient, communication within the team and encourages more manufacturer-to-supplier communication. It also suggests that the phase-review process exerts more managerial control and encourages more communication with members of the organization external to the development team. While one set of parallel projects cannot establish any result definitively, it suggests some interesting hypotheses and, to our knowledge, represents the first formal comparison of this widely-acclaimed Japanese technique with traditional American processes.

The next section reviews evidence connecting communication to enhanced product development. The following section reviews QFD, and then we present our results.

### Communication Enhances New Product Development—Some Previous Literature

Intuition suggests that interfunctional communication is important to new-product development. New products will be more successful if R&D and engineering understand customer needs, marketing understands technological capabilities and constraints, and both understand the implications for manufacturing and competitive strategy.

Scientific evidence clearly supports this intuition. For example, in a ten-year study of 289 projects, Souder (1988) demonstrates that interfunctional harmony (communication and cooperation) is a strong correlate of new product success. See Table 1. Other survey research has identified marketing and technological synergy (Cooper and Kleinschmidt 1987) and communication among functions (de Brentani 1989) as correlates of new product success.

Perhaps the most graphic evidence of the impact of interfunctional communication comes from a study by Cooper (1984a, b). He clustered 122 organizations on 19 strategy dimensions to identify five basic organization types—technology driven, focused but technologically weak, high-budget shotgun, low-budget conservative, and marketing-and-technology integrated. The only organizations with high percentages of successful projects and sales derived from new products were those integrating technological sophistication and a marketing orientation to develop products with differential advantages for strategic segments. See Figure 1.

Dougherty (1987) used retrospective interviews and paper trails in in-depth ethnographic studies of 16 projects at five firms. She established a three-point communication measurement scale for nine product-development topics. Figure 2, comparing interfunctional communication levels for one successful and one failed project at a firm, is indicative of her general findings. Successful projects were characterized not just by a high level of communication, but high levels on each of the nine topics. In almost every

TABLE 1  
*Communication vs. Success*  
(From Souder 1988, Table 3)

State	OUTCOME		
	Success	Partial Success	Failure
Harmony	52%	35%	13%
Mild Disharmony	32%	45%	23%
Severe Disharmony	11%	21%	68%




FIGURE 1. Comparison of New-Product Strategies (Adapted from Cooper 1984).

case, if communication was low on one or more topics, the project could not be classified as a success.<sup>2</sup>

Large sample surveys<sup>3</sup> and in-depth ethnographies suggest that communication, and, especially, interfunctional communication is important to new product success. However, interfunctional communication is difficult to achieve. In examining the barriers preventing functional interaction in product development, Gupta et al. (1985) find that lack of communication is the number one barrier. They also find that marketing and R&D perceptions differ both on their levels of involvement and on the value of the information they each provide to the project. For example, marketing perceives that it provides greater value to R&D than R&D perceives it gets from marketing. In a follow-on study, Gupta and Wilemon (1988) found that only when the marketing and R&D functions are more integrated is marketing information perceived as being of higher quality and utility.

One explanation of the difficulties of achieving cross-functional integration (Dougherty 1987) is that each function resides in its own "thoughtworld"—engineers (R&D) speak a technical language of product features and specifications and respond to an engineering culture of problem solving while marketers speak in their own language, hopefully that of the customer, and operate in a customer-oriented culture. Brockhoff (1989) found that these separate thoughtworlds led to a lack of agreement between R&D and marketing managers on their perceptions of the competitive environment and appropriate planning horizons, both of which can influence product-development success.

Based on the above interfunctional research and other within-function studies of communication, Moenaert and Souder have developed two formal models and a number of propositions about communication effectiveness. Their information transfer model for integrating marketing and R&D personnel (1990b) posits how interfunctional communication reduces the four kinds of innovative uncertainty upon which successful new

<sup>2</sup> Souder's (1988) paper also supports the hypothesis that one needs more than just a high level of communication. He reports that problems result when too much social interaction prevents objective criticism.

<sup>3</sup> Souder (1987, 1988): 289 projects at 56 firms. Cooper and Kleinschmidt (1987): 203 industrial projects. De Brentani (1989): industrial services at 115 Canadian firms. Gupta et al. (1985): 216 managers in 167 high-technology firms. Gupta and Wilemon (1988): 80 high-technology R&D directors. Hise et al. (1990): 252 large manufacturing firm Marketing Vice Presidents. Pinto and Pinto (1990): 262 team members from 72 hospital project teams. See also discussion in Moenaert and Souder (1990b).



sales. One advantage of QFD over the lens-model formulation is that the visual techniques of QFD are designed to encourage communication and acceptance by all members of the new-product team, not just marketing.

QFD uses four “houses” to integrate the informational needs of marketing, engineering, R&D, manufacturing, and management. It is best known by the first house, the House of Quality, shown conceptually in Figure 3. The new-product team begins by obtaining the “voice of the customer” in the form of 200–300 detailed customer needs such as (for headlights) “lights up the road with a fully loaded trunk.” These customer needs are grouped hierarchically into a relatively few primary needs (to establish the strategic position), 20–30 secondary needs (to design the basic product and its marketing), and 150–250 tertiary needs (to provide specific design direction to engineers). Customer perceptions of competitive products provide goals and opportunities for new products. The importances of customer needs establish design priorities.

The relationship matrix translates customer needs, the language of marketing, into engineering language. Engineering design attributes, such as an automatic shut-off time delay, provide the means to satisfy customer needs. Performance measures of the design attributes (seconds of delay, etc.) establish competitor capabilities. Finally the “roof matrix” (solid triangle in Figure 3) quantifies the physical interrelations among the design attributes—a brighter headlight requires more electrical power and thus impacts other subsystems in the car.

The House of Quality encourages cooperation and communication among functions by requiring input from marketing (the customer’s voice) and engineering (engineering measures and the roof matrix), and agreement on interrelationships. If the entire team participates in the House of Quality all team members understand and accept these inputs and relationships. Once the House of Quality is complete, the other “houses” link design attributes to parts characteristics, parts characteristics to manufacturing processes, and manufacturing processes to the production line. A complete set of QFD houses deploys the customer’s concept of needs (the qualities) through every product development function.

QFD’s continued acceptance by Japanese and American industry is circumstantial evidence that it might enhance new-product success. As referenced above, one reason often cited is improved communication. But does QFD really enhance communication?




FIGURE 3. Conceptualization of the First Stage of QFD.

None of the many QFD case studies have compared it to other processes, in part because the task of new-product teams is to develop new products, not compare techniques, and in part because traditional new-product development takes place in a variety of guises (Duerr 1986). Furthermore, Japanese and American product development comparisons are confounded by many differences in culture, education, manufacturing techniques, organizational structure, and industrial policy, to name just a few. In this paper we undertake the modest goal of one head-to-head U.S. comparison between QFD and the prevalent phase-review process. By comparing parallel projects we hope to eliminate many potential confounding factors so that we might understand better QFD's impact on communication in product development.

### Comparing Team Performance

Our measures compare two teams in the same organization developing components of comparable technical complexity with about the same number of parts, which serve similar functions in an automobile. Both products are manufactured by outside suppliers, but are designed by the automobile manufacturer (OEM). Both teams report to the same manager two levels up. Each supervisor is committed to the process his team is using, QFD or phase review. Since rewards are based on the new product's success, not on any process measure, each team has put considerable effort into using their chosen process to design the best possible product.

Both components represented primarily applied engineering challenges, thus there was a strong engineering involvement, but little basic R&D input. OEM marketing staff were not involved because the component is relatively minor in the car's overall structure. Other functional groups involved were manufacturing, management, and supplier marketing.

#### *Threats to Validity*

The choice of comparable projects was under our control, but the assignment of subjects to treatments was not. Team leaders selected the process they used. Choosing from among nine participating firms, we selected the two most comparable teams within one organization, but a potential self-selection bias remains.<sup>6</sup> We cannot fully eliminate this threat, so we must be careful in any interpretation of the data.

Another potential threat is self-report bias—respondents might forget communications or they might over-report communications in an effort to please the experimenter. Such biases should manifest themselves proportionally for both groups resulting in noise but we do not expect any systematic bias in the *relative* comparisons.

A third threat might be the data collection length of time. Team person-hours expended in the 15 weeks was a significant fraction of the component's development effort. However, while the observation period was during a critical stage of development, it did not cover the whole development period. Development will continue until the components are integrated into an actual automobile. While we have not captured communication patterns over the entire development cycle, we can interpret relative differences for at least this critical stage of development, since the two projects are in the same stage of development.

On the whole we feel that, with careful consideration, the comparison provides insights into the relative patterns of communication as they differ between QFD and the phase-review process. Perhaps our hypotheses will spur further academic-industry cooperation and further research on communication patterns.

<sup>6</sup> Thus, our comparison is not a true posttest-only control-group design (Campbell and Stanley 1973, design 6). Nor is our comparison a true nonequivalent-control-group quasi-experiment (Campbell and Stanley 1973, design 10) because the rapid adoption of QFD at the research site made it unfeasible to obtain pre-measures.

### The Measurement Instruments

We followed closely a method developed by Allen (1970, 1984). Prior to collecting data, the names and functions of each team's members were obtained. We met with each team to introduce the project, instruct team members on how to complete the forms, and define the topics about which they were likely to communicate. For simplicity these topics were divided into twelve categories within four content areas chosen to represent a balance between internal (design issues, business planning information) and external (customer needs, market information) topics. The topic list, which represents an expansion of Dougherty's categories, was judged representative of new-product development information needs by the sponsor. Care was taken to avoid revealing any prior hypotheses to avoid any potential compromise to the comparison.

The instrument is a one-page form on which the potential communication partners are listed (by name) as rows. Communication topics are listed as columns. Communication was measured for one randomly chosen day per week over a period of 15 weeks. On each data-collection day each respondent completes the form indicating to whom, about what, and the number of times they communicated that day about the project. When a respondent communicates with someone not listed on the form, they indicate the person and their functional designation on blank rows of the form. After completing the forms, respondents mailed them to us; respondents did not have the opportunity to review previous responses when completing a new form. Our experience parallels Allen's; respondents found the forms easy to complete and felt that they provided relevant and accurate information.

#### Response Rate

On the morning of each measured day, most team members received a verbal reminder<sup>7</sup> resulting in an overall response rate of 85%. There was a significant difference in the response rates between the teams—77% for the QFD team and 91% for the phase-review team, but we could find no systematic difference that might explain variations in the patterns of communication.

#### Reliability

Respondent reliability,  $R_i$ , is the proportion of person  $i$ 's reported communications which were also reported by their communication partners over the period of the study. A response was reliably reported if person  $i$  reports communicating with person  $j$  and person  $j$  independently reports communicating with person  $i$ . Overall, respondents agreed with one another 94.7% of the time.

Because about 5% of the time the data for respondent  $i$  do not agree with the data for respondent  $j$ , the respondent-by-respondent data matrix will not be symmetric. To obtain a symmetric matrix we computed a matrix of reliability-adjusted communications by weighting each reported communication by the respondents' overall reliabilities.<sup>8</sup>

#### Group Size Adjustment

We are interested in communication patterns, for example in whether QFD encourages more or less communication within the core team of marketing, engineering, and

<sup>7</sup> Reminders were delivered successfully 94% of the time.

<sup>8</sup> If  $R_i$  ( $R_j$ ) is the overall reliability for respondent  $i$  ( $j$ ) and if  $C_{ij}$  ( $C_{ji}$ ) is the reported communications from  $i$ -to- $j$  ( $j$ -to- $i$ ), then the reliability-adjusted communications,  $C'_{ij}$  is given by  $C'_{ij} = (C_{ij} * R_i + C_{ji} * R_j) / (R_i + R_j)$ . Notice that  $C'_{ij} = C'_{ji}$ . When a respondent communicates with a person,  $k$ , not on the team, we simply weight that communication by the known reliability:  $C'_{ik} = C_{ik} * R_i$ . This is a conservative measure of reliability; conversations with nonreporters will always be underestimated. However, we obtain the same qualitative implications with the less conservative measure,  $C'_{ik} = C_{ik} * (R_i / R_{\text{overall}})$ . The latter analyses are obtainable from the authors.

TABLE 2  
*Membership by Function on New-Product Teams*

	QFD		Phase-Review	
	OEM	Supplier	OEM	Supplier
Engineering	2	1	2	1
Manufacturing	3	0	3	2
Marketing	0	1	0	1
Management	2	0	2	1

manufacturing. But more (or fewer) people within part of the QFD group may appear to have a greater (lesser) tendency to communicate. To decrease sensitivity to group size we report data on a per-person, per-week basis by dividing total reported communication by the number of group communication links. Table 2 shows the number of people by functional designation.<sup>9</sup> While the two teams are evenly matched within the OEM, there are three more members on the supplier side of the phase-review team. To examine whether this affects the results, we report communication measures for the teams (OEM and supplier) as well as for the OEM only. Naturally, this difference in supplier-side team membership must be considered in any interpretation of OEM-to-supplier communications.

## Results

### *Communication Networks*

Figure 4 reports the observed communications links on a per-link, per-week basis for each team. Line widths and circle sizes are proportional to measured communication levels between and within functions, respectively. In some cases there was no communication circle within a function, because there was one (or no) person in that function. Before formally comparing the results, first notice two qualitative differences. The phase-review diagram is more complex with many more links and, in particular, more vertical links to management. On the other hand, the communications of the QFD team are more horizontal, perhaps circumventing the up-over-down communication through management for the more-efficient “across” communication within and between functions.<sup>10</sup> We suggest below that this result holds even considering the lack of supplier management on the QFD team. Also note that both diagrams exhibit strong communications within and between engineers. This is natural for the portion of new product development that we observed.

### *Formal Comparisons*

Theoretically the greatest influence of QFD should be to enhance communication among the functional groups—marketing, engineering, and manufacturing. We define the core team as team members from these three groups. As Figure 5 indicates QFD led to more overall communication, more communication within functions, and more com-

<sup>9</sup> If there are  $N_n$  members with functional designation  $n$  and  $N_m$  members with functional designation  $m$ , then the total number of links between those functions is  $N_n * N_m$ . The total number of links within a functional designation is  $N_n * (N_n - 1) / 2$ .

<sup>10</sup> By “more efficient” we hypothesize that direct “across” links communicate that same content as the indirect “up-across-down” links which require more effort. Efficiency refers to total content transferred per link. Efficiency does not refer to the success or failure of the product.






FIGURE 4. Graphical Representation of Communication Patterns. (Line widths indicate levels of interfunctional communication; circle sizes indicate intrafunctional levels of communication. Some functions had one or no people in them.)

munication between functions. However, QFD appeared to reduce communication from the core team to management. Together these results suggest a picture of team members who talk directly to one another rather than through management.

Naturally team members may need to obtain information from other parts of the organizations. For example, a team engineer might find that his or her task requires input from an engineer working on a different component, say the interior light. We define the “extended-core” as team members in engineering, marketing, and manufacturing *plus* nonteam members in these functional areas. To examine the sensitivity of the results in Figure 5, we plotted communications for the extended core and, as discussed under the section on group size, for the core team (OEM only). In general, the qualitative results were the same. QFD increases communications for both the extended core and for the OEM-limited core. The only difference from the results for the core team is that within the OEM, QFD seems to increase rather than decrease communication to management—however this result is not significant.

### CORE-TEAM COMMUNICATIONS




FIGURE 5. Comparisons for the Core Team.

### EXTERNAL COMMUNICATIONS




FIGURE 6. Communications Outside the Team within the Organization.

#### Communication Across Boundaries

Judging how much information should be imported into a new-product team is an issue of balance. It is unreasonable to expect that all the information necessary to new product development will be contained within the team, even for experienced new-product teams. Allen (1984), Allen et al. (1980), Baker et al. (1967), and Pelz and Andrews (1976) present evidence that the best sources for project information often are located elsewhere within an organization and that more successful projects tap those sources. Thus, we might be concerned if one team seems to be self-oriented and does not seek outside counsel. On the other hand, Allen (1984) has also found that information sources outside the team are sometimes substituted for internal sources as personal risk-reducing strategies for team members. Thus we might be concerned if one team's communications are focused primarily on outside sources.

### EXTERNAL/TOTAL COMMUNICATIONS




FIGURE 7. External as a Percent of Total Communications.

### OEM <-> SUPPLIER, EXTENDED CORE




FIGURE 8. OEM-to-Supplier Communications.

As indicated in Figure 6, QFD appears to reduce communication outside the team. If this is part of a not-invented-here syndrome (Katz and Allen 1982), then we have cause for concern and should seek to improve this aspect of QFD. If Figure 6 means that the phase-review team is substituting outside information as a personal risk-reducing strategy, then QFD may promote more efficient use of internal information. Figure 7 provides some indication that this may in fact be the case, since over 50% of the phase review team's total communication is to personnel external to the project. Deciding definitively among these alternative explanations is beyond the scope of our data, but, at minimum, Figures 6 and 7 raise interesting questions for future research.

In addition to team boundaries, there are also organizational boundaries between the OEM and the supplier. Because the component ultimately must be integrated into the automobile, we expect a good product-development process to enhance OEM-supplier

### Frequency by Communication Topic




FIGURE 9. Team Communication by Content Type.

communication. Figure 8 suggests that there is greater OEM-to-supplier communication (per link) for the QFD team than the phase-review team. However, as discussed earlier, we must interpret Figure 8 cautiously in light of the fact that the phase-review team had more members on the supplier side.

### *Types of Communication*

Dougherty's (1987) research indicated that new products were more successful if communication covered a number of different topics. To examine this issue, we asked each team member to indicate the topic(s) they discussed. Figure 9 reports the number of times per week each topic entered a conversation.<sup>11</sup>

Both teams focus primarily on design issues. This is likely due to the fact that data collection took place early in the development process. Furthermore there is evidence (Hise et al. 1990) that communication on design issues is a correlate of new-product success. While it is beyond the scope of our data to clarify which types of communication are most appropriate at which stages of the development process, we can, however, examine the differences between teams.

On the major topical categories other than planning, the QFD team communicated more than the phase-review team. Even though the QFD team communicated less with external information sources, they discussed more information on external topics (customer needs, market information). This suggests a hypothesis that QFD enhances the efficient use of internal communication links to spread information within the team. On the other hand, the phase-review team spent more conversations disseminating administrative and logistical information ("Planning") than the QFD team. This suggests a greater administrative overhead associated with the team using the phase-review process. It is consistent with the greater management involvement hypothesized earlier.

### *Results: Summary and Discussion*

American industry has a strong interest in QFD—the large number of firms adopting QFD cannot be dismissed lightly. Scientific evidence links communication within and between functions to enhanced new-product development. But is QFD effective, at least to the extent that it enhances communication?

This paper represents the first field comparison, to our knowledge, of QFD and the phase-review product-development process. We selected the best set of matched groups available and used equivalent communication measures for each group. Our design does not allow us to rule out unobserved group differences, but our knowledge of the groups, our interviews with the sponsor, and our experience observing almost 40 QFD projects lead us to believe that the effects we measure are real.

From the results summarized in Figures 4 through 9, QFD appears to encourage the team to become more integrated and cooperative, but perhaps more inward looking. There is more communication within the team (Figures 5 and 7), even when the team crosses corporate boundaries. Furthermore the team seems to be more self-sufficient, solving their problems through horizontal communication rather than through management (Figure 5) or by seeking information within the organization but outside the team (Figure 6). Most importantly, this new pattern of communication appears to increase team communication on all nonadministrative aspects of new-product development (Figure 9).

However, we must face the issue of a decrease in communication outside the team. If this decrease results in a siege mentality it could prevent the team from obtaining relevant

<sup>11</sup> Due to multiple topics per conversation, total weekly topic counts are larger than the total number of conversations per week (Figure 5). These results would be comparable to Dougherty's measures if these patterns hold up for the lifetime of the project.

project-related information available elsewhere within the organization. On the other hand, if this decrease simply reflects QFD's ability to tap internal information more effectively, it may be an advantage of QFD. Future research may decide this issue, but in the meantime QFD implementors should be aware of this potential caveat.

If the effects in Figures 4 through 9 are real, they have profound implications for the firms adopting QFD. The results suggest that QFD leads to greater horizontal communication that, hopefully, provides new-product teams with needed information. QFD also allows management to delegate in the sense that less information need flow through management. The only concern seems to be the degradation of communications external to the team—a concern that warrants further investigation.

### *Future Directions*

There are many possible directions for the future. Beyond replication we hope to identify sponsors willing to consider a quasi-experimental design that includes pre-measures prior to the adoption of QFD and/or a field experiment in which teams are assigned randomly to QFD. Given the large amount of corporate interest, such designs may prove feasible in the future. With more complex measurement instruments, supplementary data (e.g., length of communication) might be collected in addition to who, how often and about what.

We must also consider the impact of QFD on new product success. As more experience is obtained with QFD over the next five years, correlational or experimental studies might be able to link the adoption of QFD to output measures such as sales, success rates, reduced costs, or reduced time.

Finally, the issues of OEM-to-supplier links (not fully answered in our comparison) and the degradation of external communications are important to new product design. If there is a capacity limit to communications, an interesting research question is whether the horizontal communications encouraged by QFD enable more content to be communicated within the capacity constraint.<sup>12</sup>

<sup>12</sup> Abbie Griffin was partially supported by an American Fellowship from the American Association for University Women while performing this research as a Ph.D. student. Additional funds for travel and analysis were provided by the Marketing Science Institute and the Industrial Research Institute.

### References

- AKAO, YOJI, *Quality Deployment: A Series of Articles*, G.O.A.L., Inc, Lawrence, MA, Translated by Glen Mazur, 1987.
- ALLEN, THOMAS J. "Communications Networks in R&D Laboratories," *R&D Management*, 1 (1970), 14–21.
- , *Managing the Flow of Technology: Technology Transfer and the Dissemination of Technological Information Within the R&D Organization*, The MIT Press, Cambridge, MA, 1978.
- , *Managing the Flow of Technology*, MIT Press, Cambridge, MA, 1984.
- , D. LEE AND M. TUSHMAN, "R&D Performance as a Function of Internal Communication, Project Management, and the Nature of Work," *IEEE Trans. Engineering Management*, 27 (1980), 2–12.
- , M. TUSHMAN AND S. LEE, "Technology Transfer as a Function of Position in the Spectrum from Research Through Development to Technical Services," *Acad. Management J.*, 22, 4 (1979), 694–708.
- AMERICAN SUPPLIER INSTITUTE (1987), *Quality Function Deployment: A Collection of Presentations and QFD Case Studies*, American Supplier Institute, Inc., Dearborn, MI.
- BAKER, N. R., J. SIEGMANN AND A. H. RUBENSTEIN, "The Effects of Perceived Needs and Means of the Generation of Ideas for Industrial Research and Development Projects," *IEEE Trans. Engineering Management*, 14, 156–162.
- BROCKHOFF, KLAUS, *Schnittstellen—Management*, Porschel Publications, Stuttgart, Germany, 1989.
- BRUNSWIK, E., *The Conceptual Framework of Psychology*, University of Chicago Press, Chicago, IL, 1952.
- CAMPBELL, DONALD T. AND JULIAN C. STANLEY, *Experimental and Quasi-Experimental Designs for Research*, Rand McNally College Publishing Co., Chicago, IL, 1973.

- CLAUSING, DON, "QFD Phase II: Parts Deployment," American Suppliers Institute Publication, Warren, MI, 1986.
- COOPER, ROBERT G., "New Product Strategies: What Distinguishes the Top Performers?," *J. Product Innovation Management*, 2 (1984a), 151-164.
- , "How New Product Strategies Impact on Performance," *J. Product Innovation Management*, 2 (1984b), 5-18.
- AND ELKO J. KLEINSCHMIDT, "An Investigation into the New Product Process: Steps, Deficiencies, and Impact," *J. Product Innovation Management*, 3 (1987), 71-85.
- DE BRENTANI, ULRIKE, "Success and Failure in New Industrial Services," *J. Product Innovation Management*, 6 (1989), 239-258.
- DOUGHERTY, DEBORAH J., "New Products in Old Organizations: The Myth of The Better Mousetrap in Search of the Beaten Path," Unpublished Ph.D. Thesis, Sloan School of Management, M.I.T., Cambridge, MA 02139, June 1987.
- DUERR, MICHAEL G., *The Commercial Development of New Products*, The Conference Board, New York, 1986.
- EUREKA, WILLIAM E., "Introduction to Quality Function Deployment," Section III of *Quality Function Deployment: A Collection of Presentations and QFD Case Studies*, American Suppliers Institute Publication, Warren, MI, January 1987.
- GRIFFIN, ABBIE, "Functionally Integrated New Product Development," Unpublished Ph.D. Thesis, Sloan School of Management, M.I.T., Cambridge, MA 02139, June 1989.
- GUPTA, ASHOK K. AND DAVID WILEMON, "The Credibility-Cooperation Connection at the R&D-Marketing Interface," *J. Product Innovation Management*, 5 (1988), 20-31.
- , S. P. RAJ AND DAVID WILEMON, "The R&D-Marketing Interface in High-Technology Firms," *J. Product Innovation Management*, 2 (1985), 12-24.
- HAUSER, JOHN R. AND DON P. CLAUSING, "The House of Quality," *Harvard Business Rev.*, 66, 3 (May-June 1988), 63-73.
- HISE, RICHARD T., LARRY O'NEAL, A. PARASURAMAN AND JAMES U. MCNEAL, "Marketing/R&D Interaction in New Product Development: Implications for New Product Success Rates," *J. Product Innovation Management*, 7, 2 (June 1990), 142-155.
- KATZ, RALPH AND THOMAS J. ALLEN, "Investigating the Not Invented Here (NIH) Syndrome: A Look at the Performance, Tenure, and Communication Patterns of 50 R&D Project Groups," *R&D Management*, 12, 1 (1982), 7-19.
- KING, BOB, *Better Designs in Half the Time: Implementing Quality Function Deployment (QFD) in America*, G.O.A.L., Inc., Lawrence, MA, 1987.
- KOGURE, MASAO AND YOJI AKAO, "Quality Function Deployment and CWQC," *Quality Progress*, 16, 10 (October 1983), 25-29.
- MCELROY, JOHN, "For Whom Are We Building Cars?," *Automotive Industries*, (June 1987), 68-70.
- MOENAERT, RUDY K. AND WILLIAM E. SOUDER, "An Analysis of the Use of Extrafunctional Information by R&D and Marketing Personnel: Review and Model," *J. Product Innovation Management*, 7, 3 (September 1990a), 213-229.
- AND ———, "An Information Transfer Model for Integrating Marketing and R&D Personnel in New Product Development Projects," *J. Product Innovation Management*, 7, 2 (June 1990b), 91-107.
- PELZ, DONALD C. AND F. M. ANDREWS, *Scientists in Organizations*. (Revised Ed.), University of Michigan Press, Ann Arbor, MI, 1976.
- PINTO, MARY BETH AND JEFFERY K. PINTO, "Project Team Communications and Cross-Functional Cooperation in New Program Development," *J. Product Innovation Management*, 7 (1990), 200-212.
- SOUDER, WILLIAM E., *Managing New Product Innovations*, Lexington Books, D. C. Heath and Company, Lexington, MA, 1987, Chapter 10.
- , "Managing Relations Between R&D and Marketing in New Product Development Projects," *J. Product Innovation Management*, 5 (1988), 6-19.
- SULLIVAN, LAWRENCE P., "Quality Function Deployment," *Quality Progress*, (June 1986), 39-50.
- , "The Power of Taguchi Methods," *Quality Progress*, 12, 6, (June 1987), 76-79.
- URBAN, GLEN L. AND JOHN R. HAUSER, *Design and Marketing of New Products*, Prentice-Hall, Inc., Englewood Cliffs, NJ, 1980.